

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Service - I & CAD Dept- V&E Report - Allegations of irregularities in M.R.Work estimates sanctioned with Gabions retaining walls in Krishna Eastern Division, Vijayawada during 2005-2006 against Sri Ch. Rama Rao, Executive Engineer (Retd.) – Disciplinary action initiated – Inquiry conducted – Further action dropped – Orders issued

IRRIGATION & CAD (Ser.VII(V&E-2) Department

G.O.Rt.No. 548

Dated :09 -05-2012

Read the following:

1. From DG V&E Appraisal Note No. 261(1085/V&E/E.1/05), Dt. 27.09.2005.
2. G.O Rt. No.129, I&CAD(Ser.VII) Dept. dt.31.01.2007,
3. WSSD of Sri Ch. Rama Rao, EE(Retd.), dt.02.03.2007
4. G.O Rt No.1501, I&CAD(Ser.VII) Dept., dt.25.11.2008
5. From Sri Janak Raj, IPS(Retd.), COI, D.O Lr. No.2129/COI.JR/2010, dt.28.01.2011
6. Govt. Memo No.35010/Ser.VII(V&E.2)/2005-10, dt.07.09.2011
7. Explanation of Sri Ch. Rama Rao, EE(Retd.), dt.28.10.2011

@@@

ORDER:

In the reference 1st read above, it was brought to the notice of the Government that Sri. Ch. Rama Rao, EE(Retd.), while working as EE, KE Divn., Vijayawada has committed certain irregularities in M.R.Work estimates sanctioned with Gabions retaining walls in Krishna Eastern Division, Vijayawada during 2005-2006 with a recommendation for initiation of disciplinary action against him.

2. In the reference 2nd read above, disciplinary action was initiated against Sri Ch. Rama Rao, the then EE, KE Divn., Vijayawada, now retired by framing article of charge and in the reference 3rd read above, the charged officer submitted his written statement of defence on the charge framed against him.

3. In the reference 4th read above, the case was entrusted to COI for conducting a detailed inquiry into the charges framed against Sri Ch. Rama Rao, the then EE, KE Divn., Vijayawada, now retired and in the reference 5th read above, the Inquiring authority forwarded his inquiry report.

4. After examining the inquiry report, it has been decided to disagree with the findings of the Inquiring Authority for certain reasons. Accordingly, in the reference 6th read above, a copy of the Inquiry report along with the disagreement factors of the Government with the findings of the Inquiring Authority has been communicated to Sri Ch. Rama Rao, the then EE, KE Divn., Vijayawada, now retired with a direction to submit his explanation on the disagreement factors of the Government with the findings of the IA and in the reference 7th read above, Sri Ch. Rama Rao, the then EE, KE Divn., Vijayawada, now retired, has submitted his explanation on the disagreement factors of the Government with the findings of the Government.

::2::

5. After examining the explanation of Sri Ch. Rama Rao, the then EE, KE Divn., Vijayawada, now retired, Govt. have decided to drop further action against him. Accordingly Govt. hereby order to drop further action against Sri Ch. Rama Rao, the then EE, KE Divn., Vijayawada, now retired in the disciplinary case relating to irregularities in M.R. Work estimates sanctioned with Gabions retaining walls in Krishna Eastern Division, Vijayawada during 2005-2006.

6. The I & CAD(Ser.II) Department/ Engineer-in-Chief (AW), I & CAD Department, Hyderabad shall take further action accordingly in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT**

To
Sri Ch. Rama Rao, Executive Engineer (Retd.) through ENC(AW), I & CAD Department, Hyderabad
The I&CAD(Ser.II) Department
The Engineer-in-Chief(AW), I & CAD Department, Hyderabad.
Copy to:
The General Administration (V&E), Department, Hyderabad
The Secretary to VC, APVC
The Accountant General, AP, Hyderabad.
SC/SF

//FORWARDED :: BY ORDER//

SECTION OFFICER